



COMPACT & N50 PORT SYSTEM FOR COMPACT CAMERA SYSTEM

| CAMERA (HOUSING) | PORT | MOUNT CONVERTER | WET LENS | OPTICAL PERFORMANCE | |
|---|--|--|---|---|--------------------------------|
| SONY Sony Cyber-shot DSC-RX100 Mark V (17418/17419P) NA-RX100V / Pro Package * 24-70mm (35mm equivalent) * Port is inexchangeable for this housing | 38702 N50 3.5" Acrylic Wide Angle Dome Port | SMC/CMC Option 1 - M67 Thread 81228 M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i> | 81301 CMC - 1 | Smallest Subject Size Working Distance | 35 x 23.3 mm 55-75 mm |
| | | SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 48 x 32mm 80-124 mm |
| | | 83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i> | 83203 WWL - C | Smallest Subject Size Working Distance | 48 x 32mm 80-124 mm |
| | 38704 N50 Short Port 22 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 48 x 32mm 80-124 mm |
| | | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 38 x 25.3 mm 25-95 mm |
| | | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 48.5 x 32.3 mm 50-160 mm |
| | 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 86201 MWL - 1 | Smallest Subject Size Working Distance | 40-37* 150-138* 60-65 mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-58* 28-70 mm |
| | | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 34 x 22.7 mm 40-85 mm |
| | 38702 N50 3.5" Acrylic Wide Angle Dome Port | 25107 M67 Flip Diopter Holder | 81201 SMC - 1 | Smallest Subject Size Working Distance | 14 x 9.3 mm 84-94 mm |
| | | | 81202 SMC - 2 | Smallest Subject Size Working Distance | 7.5 x 5 mm 34-37 mm |
| | | | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-70* 24-50 mm |
| 38705 N50 Short Port 17 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-70* 24-30 mm | |
| | | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37* 138* 65 mm | |
| | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-64* 28-65 mm | |
| 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 81301 CMC - 1 | Smallest Subject Size Working Distance | 34 x 22.7 mm 40-85 mm | |
| | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 43.5 x 29 mm 58-154 mm | |
| | | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-70* 24-30 mm | |
| CANON Canon Powershot G5XMKII (17331/17331P) NA-G5XII / Pro Package * 24-120mm (35mm equivalent) * Port is exchangeable for this housing | 38702 N50 3.5" Acrylic Wide Angle Dome Port | 25107 M67 Flip Diopter Holder | 81301 CMC - 1 | Smallest Subject Size Working Distance | 21 x 14 mm 44-72 mm |
| | | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 21x18mm 67-120mm |
| | | | 81201 SMC - 1 | Smallest Subject Size Working Distance | 24x16mm 58-93mm |
| | 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-71* 24-50mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-46* 130-80* 28-50mm |
| | | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 40x26.7mm 20-72mm |
| | 38702 N50 3.5" Acrylic Wide Angle Dome Port | 25107 M67 Flip Diopter Holder | 81302 CMC - 2 | Smallest Subject Size Working Distance | 47x31.3mm 33-122mm |
| | | | 81201 SMC - 1 | Max. Magnification Working Distance | 25.5x17mm 73-93mm |
| | | | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37-24* 138-90* 65-100mm |
| | 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-71* 24-50mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-64* 28-65mm |
| | | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 23x13.3mm 45-72mm |
| 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 31x20.7mm 66-122mm | |
| | | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37-24* 138-90* 65-100mm | |
| | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-64* 28-65mm | |
| 38702 N50 3.5" Acrylic Wide Angle Dome Port | 25107 M67 Flip Diopter Holder | 81301 CMC - 1 | Smallest Subject Size Working Distance | 23x13.3mm 56-72mm | |
| | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 31x20.7mm 87-122mm | |
| | | 81201 SMC - 1 | Max. Magnification Working Distance | 25.5x17mm 73-93mm | |
| 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37-24* 138-90* 65-100mm | |
| | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-64* 28-65mm | |
| | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 23x13.3mm 45-72mm | |
| 38704 N50 Short Port 22 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 84-46* 130-71* 24-50mm | |
| | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-46* 130-80* 28-50mm | |
| | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 33x22mm 45-72mm | |
| 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 41x27.3mm 66-122mm | |
| | | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37-34* 138-128* 65mm | |
| | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-37* 130-64* 28-65mm | |
| PANASONIC Panasonic Lumix DC-LX100II (17717 NA-LX100II) * 24-75mm (35mm equivalent) * Port is exchangeable for this housing | 38702 N50 3.5" Acrylic Wide Angle Dome Port | 25107 M67 Flip Diopter Holder | 81301 CMC - 1 | Smallest Subject Size Working Distance | 33.5x22.3mm 50-77mm |
| | | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 47x31.3mm 76-130mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-57* 130-99* 28-40mm |
| | 38704 N50 Short Port 22 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83203 WWL - C | Smallest Subject Size Working Distance | 84-72* 130-112* 24-30mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 75-72* 130-125* 28-30mm |
| | | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 34x22.7mm 48-73mm |
| | 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 46x30.7mm 76-128mm |
| | | | 83203 WWL - C | Smallest Subject Size Working Distance | 34x22.7mm 48-73mm |
| | | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 46x30.7mm 76-128mm |
| | 38703 N50 Short Port 25 with Bayonet Mount <i>* change port from housing</i> | 83214 Bayonet Mount Adaptor for SMC/CMC | 83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i> | Smallest Subject Size Working Distance | 70-34* 108-53* 32-72mm |
| | | | 83202 WWL - 1B | Smallest Subject Size Working Distance | 58-34* 100-60* 38-72mm |
| | | | 86201 MWL - 1 | Smallest Subject Size Working Distance | 37-34* 138-128* 65-72mm |
| OLYMPUS Olympus Tough TG5/TG6/TG7 (with M52 Thread) * 24-100mm (35mm equivalent) * Port is inexchangeable for this housing | SMC/CMC Option 1 - M67 Thread 38024 + 81228 M52 to M67 Step Up Adaptor Ring + M67 Spacer Ring for SMC/CMC <i>(81228 is included in all SMC/CMC)</i> | 81301 CMC - 1 | Smallest Subject Size Working Distance | 19x12.7mm 34-78mm | |
| | | 81302 CMC - 2 | Smallest Subject Size Working Distance | 21x14mm 28.5-98mm | |
| | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 19x12.7mm 34-78mm | |
| | SMC/CMC Option 2 - Bayonet Mount 83250 + 83214 M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 21x14mm 28.5-98mm | |
| | | 83203 WWL - C | Smallest Subject Size Working Distance | 84-24* 130-37* | |
| | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 19x12.7mm 34-78mm | |
| Olympus Tough TG5/TG6/TG7 (with Bayonet Mount) * 24-100mm (35mm equivalent) * Port is inexchangeable for this housing | 83214 Bayonet Mount Adaptor for SMC/CMC | 81302 CMC - 2 | Smallest Subject Size Working Distance | 21x14mm 28.5-98mm | |
| | | 81301 CMC - 1 | Smallest Subject Size Working Distance | 19x12.7mm 34-78mm | |
| OLYMPIUS Olympus PT-058/ PT-059 Underwater Housing | 83256 Bayonet Mount Converter for Olympus PT-058/PT-059 | 83203 WWL - C | Smallest Subject Size Working Distance | 84-24* 130-37* | |

Max. Magnification is the maximum ratio that a subject can be reproduced on a camera's image sensor (APS-C - 22.3 x 15mm, Full Frame - 36 x 24mm) at the closest working distance.

Working distance operates from the distance between the subject and the front element of the close-up lens.

- * Recommended Nauticam underwater optics based on best underwater optical performance
- * Recommended Port System