



## N120 PORT SYSTEM FOR NIKON Z-MOUNT CAMERA SYSTEM (FX Format Lens)

	CAMERA LENS	GEAR	PORT ADAPTOR	EXTENSION RING	PORT	MOUNT CONVERTER	WET LENS	OPTICAL PERFORMANCE			
MACRO FX	NIKKOR Z MC 50mm f/2.8 Macro			2110 N120 Extension Ring 10	18706 Macro Port 12 <i>* This setup is only compatible with 18706 before SN:A524910</i>	SMC/CMC Option 1 - M67 Thread <b>81228</b> M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81301 CMC-1	Max. Magnification 1.6X Working Distance 8-64mm			
				22110 N120 Extension Ring 10 II	18706 Macro Port 12 <i>* This setup is only compatible with 18706 after SN:A524910</i>	SMC/CMC Option 2 - Bayonet Mount <b>83250 + 83214</b> M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81302 CMC-2	Max. Magnification 1.4X Working Distance 16-109mm			
	Nikkor Z MC 105mm f/2.8 VR S Macro	19161 NZ105VR-F				18708 Macro Port 80	SMC/CMC Option 1 - M67 Thread <b>81228</b> M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81201 SMC-1	Max. Magnification 2.2X Working Distance 45-94mm		
						22120 N120 Extension Ring 20 II	18701 Macro port 60	SMC/CMC Option 2 - Bayonet Mount <b>83250 + 83214</b> M67 to Bayonet Mount Converter II + Bayonet Mount Adaptor for SMC/CMC	81202 SMC-2	Max. Magnification 3.6X Working Distance 22-38mm	
STANDARD ZOOM FX	Nikkor Z 24-50mm f/4-6.3 Lens							85206 N120/N100 WACP - 1B	Lens FOV 75-47° Converted FOV 130-81° Zoom Range 28-50mm		
								21330 N120 to N100 Port Converter	85205 N100 WACP - C	Lens FOV 75-47° Converted FOV 170-87° Zoom Range 28-50mm	
	19163 NZ2450-Z				22120 N120 Extension Ring 20 II	* 18809 180mm Optical Glass Wide Angle Port			83250 M67 to Bayonet Mount Converter II <i>(included in all MWL-1 packaging)</i>	83202 WVL-1B	Lens FOV 75-47° Converted FOV 130-81° Zoom Range 28-50mm
					22130 N120 Extension Ring 30 II	18802 8.5" Acrylic Dome Port 18812 230mm Optical Glass Wide Angle Port II			18707 N120 Macro Port 6	SMC/CMC Option 1 - M67 Thread <b>81228</b> M67 Spacer Ring for SMC/CMC <i>(included in all SMC/CMC packaging)</i>	81301 CMC-1
Nikkor Z 24-70mm f/2.8 S Lens	19157 NZ2470Z.8S-Z			22125 N120 Extension Ring 25 II	85204 N120 WACP - 2				Lens FOV 84-46° Converted FOV 98-56°		
				22170 N120 Extension Ring 70 II	18802 8.5" Acrylic Dome Port * 18809 180mm Optical Glass Wide Angle Port 18812 230mm Optical Glass Wide Angle Port II						
Nikkor Z 24-70mm f/4 S Lens	19154 NZ2470-Z			22120 N120 Extension Ring 20 II	* 85206 N120/N100 WACP - 1B				Lens FOV 75-70° Converted FOV 130-121° Zoom Range 28-32mm		
				21320 N120 to N100 20mm Port Adaptor	85205 N100 WACP - C				22140 N120 Extension Ring 40 II	18802 8.5" Acrylic Dome Port * 18809 180mm Optical Glass Wide Angle Port 18812 230mm Optical Glass Wide Angle Port II	
Nikkor Z 28-75mm f/2.8 Lens	19162 NZ2875-Z			22135 N120 Extension Ring 35 II	* 85206 N120/N100 WACP - 1B				Lens FOV 75-48° Converted FOV 130-83° Zoom Range 28-48mm		
				22180 N120 Extension Ring 80 II	18802 8.5" Acrylic Dome Port 18809 180mm Optical Glass Wide Angle Port * 18812 230mm Optical Glass Wide Angle Port II				22170 N120 Extension Ring 70 II	18815 250mm Optical Glass Wide Angle Port II	
WIDE ANGLE FX	Nikkor Z 14-24mm f/2.8 S	19160 NZ1424-Z		21110 N120 Extension Ring 10	85204 N120 WACP - 2 <i>* This setup is only compatible with WACP-2 before SN:A526311</i>				Lens FOV 114-87° Converted FOV 140-98°		
				22110 N120 Extension Ring 10 II	85204 N120 WACP - 2 <i>* This setup is only compatible with WACP-2 after SN:A526311</i>				Lens FOV 114-87° Converted FOV 140-98°		
	Nikkor Z 14-30mm f/4 S	19156 NZ1430-Z			22140 N120 Extension Ring 40 II	18809 180mm Optical Glass Wide Angle Port				Lens FOV 114-72° Converted FOV 140-81°	
					22155 N120 Extension Ring 55 II	18802 8.5" Acrylic Dome Port * 18812 230mm Optical Glass Wide Angle Port II 18815 250mm Optical Glass Wide Angle Port II					
Nikkor Z 35mm f1.8 S					* 85206 N120/N100 WACP - 1B				Lens FOV 63° Converted FOV 110°		
					22150 N120 Extension Ring 50 II				18802 8.5" Acrylic Dome Port * 18812 230mm Optical Glass Wide Angle Port II		
SONY E-MOUNT	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS with Megadap ETZ 21 Adaptor	19158 NE2870-Z		22120 N120 Extension Ring 20 II	* 85206 N120/N100 WACP - 1B				Lens FOV 75-34° Converted FOV 130-59°		
				21315 N120 to N100 15mm Port Adaptor	85205 N100 WACP - C						
NIKON F-MOUNT	Nikon F-mount Lenses with Nikon Adaptor FTZ				N120 Nikon F-Mount Port System						

Max. Magnification is the maximum ratio that a subject can be reproduced on a camera's image sensor (APS-C - 22.3 x 15mm, Full Frame - 36 x 24mm) at the closest working distance.

Working distance operates from the distance between the subject and the front element of the close-up lens.

\* Recommended Nauticam underwater optics based on best underwater optical performance

\* Recommended Port System