



N100 PORT SYSTEM FOR Canon RF-S CAMERA SYSTEM  
( RF-S & EF-Mount Format Lens )

|                       | CAMERA LENS   | GEAR              | PORT BASE /<br>PORT ADAPTOR | EXTENSION RING   | PORT  | MOUNT CONVERTER   | WET LENS  | OPTICAL PERFORMANCE   |
|-----------------------|---|-------------------|-----------------------------|--|---|---|---|---|
| STANDARD ZOOM<br>APSC | Canon RF-S 18-45mm<br>f4.5-6.3 IS STM                         | 19596<br>CR1845-Z |                             |  | 37181<br>N100 Flat Port 50                            | SMC/CMC Option 1 - M67 Thread<br>81228<br>M67 Spacer Ring for SMC/CMC<br><i>(included in all SMC/CMC packaging)</i>   | 81301<br>CMC - 1                                | Max. Magnification 0.8X<br>Working Distance 44-81mm             |
|                       |   |                   |                             |  |   |   | 81302<br>CMC - 2                                | Max. Magnification 0.6X<br>Working Distance 68-140mm            |
|                       |   |                   |                             |  |   | SMC/CMC Option 2 - Bayonet Mount<br>83250 + 83214<br>M67 to Bayonet Mount Converter II +<br>Bayonet Mount Adaptor for SMC/CMC   | 81501<br>MFO-1                                  | Max. Magnification 0.28X<br>Working Distance 167-1110mm         |
|                       |   |                   |                             |  |   | 83250<br>M67 to Bayonet Mount Converter II<br><i>(included in all MWL-1 packaging)</i>  | * 83202<br>WWL - 1B                             | Lens FOV 75-35°<br>Converted FOV 130-60°<br>Zoom Range 18-45mm  |
|                       |   |                   |                             |  |   |   | 83203<br>WWL-C                                  | Lens FOV 75-35°<br>Converted FOV 116-52°<br>Zoom Range 18-45mm  |
|                       |   |                   |                             |  |   |   | 86201<br>MWL - 1                                | Lens FOV 40-35°<br>Converted FOV 150-130°<br>Zoom Range 38-45mm |
|                       |   |                   |                             | 37402 / 37432<br>N100 Extension Ring 40 /<br>N100 Extension Ring 40 II   | * 85206<br>N120/N100<br>WACP - 1B                     |   |   |   |
|                       |   |                   |                             |  | 85203<br>N100 WACP-1                                  |   |   |   |
|                       |   |                   |                             |  | 85205<br>N100 WACP - C                                |   |   |   |
|                       |   |                   |                             |  |   |   |   |   |
| WIDE ANGLE<br>APSC    | Canon RF-S 10-18mm<br>f/4.5-6.3 IS STM                        | 19596<br>CR1845-Z |                             | 37402 / 37432<br>N100 Extension Ring 40 /<br>N100 Extension Ring 40 II   | 37129<br>N100 180mm Optical Glass Wideangle Dome Port |   |   |   |
|                       |   |                   |                             |  |   | 37305<br>N100 to N120<br>35.5mm Port Adaptor II<br><br>* This setup is only compatible with 37305<br>SN:A544975 onwards, older version 37305 can be upgraded using lock mechanism 95851 | 18802<br>8.5" Acrylic dome port                 |   |
|                       |   |                   |                             |  |   |   | 18809<br>180mm Optical Glass Wide Angle Port    |   |
|                       |   |                   |                             |  |   |   | 18812<br>230mm Optical Glass Wide Angle Port II |   |
| CANON EF-MOUNT        | Canon EF-mount Lenses<br>with Canon Mount Adaptor<br>EF-EOS R |                   |                             | 37305<br>N100 to N120<br>35.5mm Port Adaptor II<br><br>* This setup is only compatible with 37305 SN:A544975 onwards, older version 37305 can be upgraded using lock mechanism 95851 |   | N120 Canon EF-Mount<br>Port System  |   |   |
|                       | Canon RF mount<br>Fullframe Lenses                            |                   |                             | 37305<br>N100 to N120<br>35.5mm Port Adaptor II<br><br>* This setup is only compatible with 37305 SN:A544975 onwards, older version 37305 can be upgraded using lock mechanism 95851 |   | N120 Canon RF-Mount<br>Port System  |   |   |

Max. Magnification is the maximum ratio that a subject can be reproduced on a camera's image sensor (APS-C - 22.3 x 15mm. Full Frame - 36 x 24mm) at the closest working distance.